Work Ord <i>July-13-12 1:47</i>		87346	. *	*873	346*							Page 1	l
Item ID: Revision ID: Item Name:	D412-7	42-041 nent Float Skidtube		Accept	*N900	040	100)*	_	Start Stop		S1* S2*	
Start Date: Required Date: Reference:	7/10/12		*1* *1*		Cust Item I Customer:	D:					ı u .		
Approvals:	Proces QC:	s Plan: MLJ	Date: 17 07	♥Tooling: SPC (Y/N):		nte:	· .]		Start Stop	*N *N	R1* R2*	•
Sequence ID/ Work Center II	D	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Rejec Qty		eject umbor	Insp. Stamp	
Draw Nbr		Revision Nbr											
*100 *100* DC		DOCUMENT CONTROL	,	0.00					/A 9	4	_i		
Document Control		If D412-742-0	041 is a W/O on it's own uefile and create labels p	,	CHG005)		-	

w 101	,	DISPOSITION	AGA	INST DEPARTMENT/PROC	CESS	
iven. Tes y Ive				QA Closed:	Date:	
NCR: Yes / No		WORK ORDER NON-COM	NEORMANCE / UPDATE	***		
				DQA:	Date:	

								· · · · · · · · · · · · · · · · · · ·	QA Closea.		
Work Orde	er:			,	DISPOSITION			AGAINST DEI	PARTMENT	PROCESS	
Part N	No				Rework Scrap Use-as-is		Skid-tube Machining moforming	Crosstube Small Fab Finishing	7	Water Jet d. Eng. Coor. e/Packaging	Engineering Quality Other
NCR N	No	<u>.</u> .			Work Order Update		Large Fab	Composite		Supplier	
Root				Descri	ption of work order update	Initial	Act	tion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Desci	ription	Date	Verification	QC Inspector
Doc/Data										•	
Equip/Tooling											
Operator											
Material											
Setup											
Other											
Process				,							
Supplier				1						•	
Training		•		1] ;				
Unapproved		<u> </u>				<u></u>	100			L	
						AULT CAT	EGORY				
Landi	ng Gear				General				1	_	٦ .
	Bending			ļ	Bend	Grain		_	Ovalized		Pressure/Forced
	Centre N	ot Concei	ntric to	o/s	BOM/Route	Hardw		<u></u>	Over/Under		Temperature/Cure
	Cracks				Broken/Damaged	-	tion Incomplete		Part Incorre	⊢	Weld
	Crushed/	Crimped.		ļ	Burrs		tions Incomplete/	Unclear	Part Lost/M	ssing	Wrong Stock Pulled
	Cuffs			<u></u>	Contamination	⊢	enance	<u> </u>	Part Moved		
	Heat Treat			Countersink	Mislab	eled		Positioned V	_	¬	
	Inspection Strip in Tube			Cut Too Short \	Misrea			Power Loss/	Surge	Other	
·				Drill Holes	Offset						
				n	Drawing	├ ──┤ ·	Calibration				
Turning Sequence					Finish	Out of Sequence					4
	│ │Wave/Tw	ist in Tub)e		Folio	I lOutsid	e Dimensions				· \$

Expiry date: 13/07

3-Remove "T" pins once sikaflex is dry.

4-Coat all exposed hardware with LPS Procyon. Remove any excess off with MEK degreaser.

A/RLPS Procyon A/114596

120

QC5- Inspect part completeness to step on W/O

-0.00

OAS |

120

QC
Quality Control

Memo

0.0

1

											DQA:	Date:	
NCR:	Yes	/ No				WORK ORDER NON-	COI	VFORM	MANCE / UP				
											QA Closed:	Date:	
Work Ord	or:					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
WOIK OIU	eı. -				 -	Rework	1		Skid-tube	Crosstube		Water Jet	Engineering
Part I	No.					Scrap	1		Machining	Small Fab	Pro	d. Eng. Coor.	Quality
	-					Use-as-is	1		noforming	Finishing		re/Packaging	Other
NCR I	No.					Work Order Update	1		Large Fab	Composite		Supplier	
							-						
Root						ption of work order update	1	Initial	Ac	tion	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Ch	nief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data	Ш												
Equip/Tooling	Ш												
Operator	Щ												
Material	Н												
Setup	Н												
Other	Н												
Process	Н												
Supplier	Н												
Training	Н												
Unapproved	Ш		<u> </u>	i			ALU	T CATE	GORY		L	<u>l</u>	
Landi	ng G	ear				General	70.	LICAIL	<u> </u>				
Long		Bending				Bend	Г	Grain			Ovalized		Pressure/Forced
	-	Centre No	ot Concer	ntric to	o/s	BOM/Route		Hardwa	ire		Over/Under	tolerance	Temperature/Cure
	-	Cracks			-,-	Broken/Damaged	\vdash	-	ion Incomplete	<u> </u>	Part Incorre	-	Weld
	-	Crushed/	Crimped.			Burrs	\vdash	4	ions Incomplete/	Unclear	Part Lost/M		Wrong Stock Pulled
	$\overline{}$	Cuffs	•			Contamination		Mainte	•		Part Moved	· <u> </u>	_ ~
	П	Heat Trea	t			Countersink		Mislabe	eled .		Positioned V	Vrong	
	П	Inspection	n Strin in	Tube		Cut Too Short		Misread	4		Power Loss	Surge	Other

Offset

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Ripples in Bend

Torque Waves in Extrusion

Drill Holes

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Work Ord		7346		*87:	346*							Page 3
Item ID: Revision ID: Item Name:	D412-742-0	941 Float Skidtube		Accept	*N900	040	100)*	Setup	Start Stop	*N:	S1* S2*
Start Date: Required Date: Reference:	7/10/12 8/31/12	Start Qty: 1.00 Req'd Qty: 1.00	*1* *1*		Cust Item l Customer:	ID:						
Approvals:		an:				ate:]	Run	Start Stop		R1* R2*
Sequence ID/ Work Center II 130 *120* Packaging Packaging	D	Location:	pack for shipping as per	Set Up/ Run Hours 0.00 0.00 PPP D412-742-041	PPP Alolb	Tool#	Plan Code	Accept Qty	Rej Qty		Reject Number	Insp. Stamp
*140 *140* QC Quality Control		QC21- Final Inspection - Memo	Work Order Release	0.00						121	/11/10 N	7 XX NX 2-11-15

				DQA:	Date:	
NCR:	Yes	/ No	WORK ORDER NON-CONFORMANCE / UPDATE			

									•		QA Closed:	Date:	
Work Orde	or.				•	DISPOSITION				AGAINST DE	PARTMENT/	PROCESS	
Part N	 No					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite		Water Jet d. Eng. Coor. e/Packaging Supplier	Engineering Quality Other
Root					Descri	ption of work order update		nitial	Ad	ction	Sign &	· · · · · · · · · · · · · · · · · · ·	
Cause		Date	Step	Qty	l	or Non-conformance	Ch	ief Eng	Desc	cription	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator													
Material	\dashv												
Setup Other ** Process	├ ─┤										,		
Supplier						• • •							
Training												:	
Unapproved													·
						F	AUL	T CATE	GORY				
Landii	ng Gea	r				General					_		_
	Be	nding				Bend		Grain			Ovalized		Pressure/Forced
	_		t Concer	ntric to	o/s	BOM/Route		Hardwa	ire		Over/Under	tolerance	Temperature/Cure
	—	acks			_	Broken/Damaged		1	ion Incomplete		Part Incorred	<u> </u>	Weld
			Crimped.			Burrs	\sqcup	1	ions Incomplete,	/Unclear	Part Lost/Mi	ssing	Wrong Stock Pulled
	Contamination							Mainte			Part Moved		
	Heat Treat Countersink							Mislabe			Positioned V		- 1
	Inspection Strip in Tube Cut Too Short							Misread	d		Power Loss/	Surge	Other
		ples in			<u> </u>	Drill Holes		Offset					
		-	aves in E	xtrusio	n	Drawing	Out of Calibration						
Turning Sequence Finish							Out of Sequence						
	Wave/Twist in Tube Folio							Outside	Dimensions				

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

July-13-12 1:47:04 PM

Work Order ID:

87346

Parent Item:

D412-742-041

Parent Item Name:

Replacement Float Skidtube

Start Date: 7/10/12

Required Date: 8/31/12

Page 1

Start Qty: 1.00

Required Qty: 1.00

Comments:

IPP Rev A 05.10.13 New Issue KJ/JLM

IPP Rev 06.02.13 ECN 773 dwg @ rev.D IPP Rev:C 07-05-28 As per Rev F

EC JLM

IPP rev D 07.11.01 ecn 1053p

EC

IPP rev E 07.11.27 ecn 1072

EC verified by:DD

IPP Rev:F 08-09-08 ecn 08-510 DD verified by:EC

IPP Rev:G 10.02.24 as per ECN10-

2978

514 DD verified by: EC IPP Rev:H 11.11.01 as per DSI9517 REV.B DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Parch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure		Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3391-011 Fwd Tube Assembly	ped (N g)	Manufactured	No			110	Each	0.0000	188	434	(x) H	1 11	lulog
D3391-013 Mid Tube Assembly), , ,	Manufactured	No			110	Each	0.0000	38-	1104	(x1) H	1 11	uloq
D3391-015 Aft Tube Assembly	Ja La L	Manufactured	No			110	Each	0.0000	387	602	(x1)	41 11	ulog
AN3C4A BOLT), /0	Purchased	No			110	Each	3,150.0000	24	24	(1),	09	
				Location		Loc Oty	Lo	c Code					
				ST350	197	3150 31	M	123 522		X (4	4		
				120:	521	28	XAI	22814		Ø			
				120° 1213		38 67							
				121:	556	8							

122151

											DQA:	Date	:
NCR:	Yes	/ No		•		WORK ORDER NON-C	CON	IFORN	AANCE / UPE	DATE			
											QA Closed:	Date	:
Work Orde	er.					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
Part I	- . No.					Rework Scrap Use-as-is Work Order Update		Therm	Skid-tube Machining noforming Large Fab	Crosstube Small Fab Finishing Composite	4	Water Jet d. Eng. Coor. re/Packaging Supplier	Engineering Quality Other
Root			,		Descri	ption of work order update	lr	nitial	Act	ion	Sign &		
Cause		Date	Step	Qty	(or Non-conformance	Chi	ef Eng	Descr	iption	Date	Verification	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved		,			•				CORV				
							AUL	CATE	GORY		· ····		
Landi		Bending Centre No Cracks Crushed/O Cuffs Heat Trea Inspection	Crimped. t		o/s	General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short			on Incomplete ions Incomplete/U nance Ied	Jnclear	Ovalized Over/Under Part Incorre Part Lost/M Part Moved Positioned V	ct issing Vrong	Pressure/Forced Temperature/Cure Weld Wrong Stock Pulled Other
		Ripples in	Bend			Drill Holes		Offset			_		

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

July-13-12 1:47:05 PM

Work Order ID:	87346								•
Parent Item:	D412-742-041						Start D	Date: 7/10/12	Required Date: 8/31/12
Parent Item Name:	Replacement Float Sk	kidtube					Start	Qty: 1.00	Required Qty: 1.00
AN3C6A BOLT		Purchased	No		110	Each	251.0000	10 M 10	12/11/09
			<u>Loca</u>	tion	Loc Oty		<u>Loc Code</u>		
			FP00	1	1	*/	122416	X10	
				111982	1				
			ST35	1	250				
				111982	2				
•			•	116419	23				
				116549	2				
				116704	12				
				117619	iû				
				117688	1				
				117872	5				
				118422	13				
				119449	21				
•				120423	3				
				120693	112				•
				121682	46				
AN3C7A BOLT		Purchased	No		110	Each	184.0000	4	ululog
			Loca	tion	Loc Qty		Loc Code		
			ST35	1	184				
				113149	14				
				116169	1				
				117313	10				
				117619	12				
				117688	6				
				119749	1				
				120731	8				
				121185	30				
				121541	2				
				122141	100			XL	

			DQA:
NCR:	Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE	•

NCR: Y	es / No				WORK ORDER NON-	CON	IFORN	MANCE / UP	DATE	,		
										QA Closed:	Date	e:
Marila Octob					DISPOSITION				AGAINST DE	PARTMENT	PROCESS	
Work Orde	er:				Rework	- I		Skid-tube	Crosstube	1	Water Jet	Engineering
Part N	lo.				Scrap	- 1		Machining Machining	Small Fab	Pro	d. Eng. Coor.	Quality
raitiv	····				Use-as-is	-		noforming	Finishing	-	e/Packaging	Other
NCR N	lo.				Work Order Update	1		Large Fab	Composite		Supplier	
			,		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	_		·			· -	
Root				Descri	iption of work order update	lr	nitial	Act	ion	Sign &		•
Cause	Date	Step	Qty		or Non-conformance	Chi	ef Eng	Descr	iption	Date	Verification	QC Inspector
Doc/Data												
quip/Tooling												
Operator												
Material	_										-	
etup	_	İ										
Other	_											
rocess							•					
Supplier	_	1										
raining												
Jnapproved		<u> </u>	<u> </u>		<u> </u>	EALIL T	T CATE	SORV		<u> </u>	L	
Landir	ng Gear	 .		!	General	AUL	CAIL	301(1				
[Bending	ַ			Bend		Grain			Ovalized	Γ	Pressure/Forced
Ì		, Not Conce	ntric to	o/s	BOM/Route	\vdash	Hardwa	re		Over/Under	tolerance	Temperature/Cure
	Cracks				Broken/Damaged	-		on Incomplete	<u> </u>	Part Incorre	 -	Weld
	Crushed/Crimped. Burrs							ions Incomplete/l	Jnclear	Part Lost/M	issing	Wrong Stock Pulled
ľ	Cuffs Contamination						Mainte	nance		Part Moved	_	
ľ	Heat Tr	eat			Countersink		Mislabe	eled		Positioned V	Vrong	
	Inspect	ion Strip in	Tube		Cut Too Short		Misread	i		Power Loss/	Surge	Other
	Ripples	in Bend			Drill Holes		Offset					
	Torque	Waves in	Extrusio	n [Drawing	Out of Calibration						
[Turning	Sequence	:		Finish		Out of S	Sequence				

Outside Dimensions

Date:

Wave/Twist in Tube

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

July-13-12 1:47:05 PM

Vork Order ID:	87346									
Parent Item:	D412-742-041							ate: 7/1		Required Date: 8/31/12
Parent Item Name:	Replacement Float	Skidtube					Start (Qty: 1.0	0	Required Qty: 1.00
N960C10L vasher ★	NAS1149C0332R	Purchased	No		110	Each	21.0000	38	M 3	8 12/11/09
ľ			Loca	<u>tion</u>	Loc Oty		Loc Code			
			ST	107534	21 21	/ //	173355	_	x 3%	
IS27039C4-12 Crew		Purchased	No		110	Each	11.0000	4	H) 4	11/11/09
			Loca	tion	Loc Qty		Loc Code			
			FP00	2 114221	11 11	٨٨	122452	_	V4_	
3672-3 henolic Washer		Manufactured	No		110	Each	1,211.0000	4	Hl "	1 11/109_
			Loca	tion	Loc Qty		Loc Code			
			ST06	60	1211					
				84361	211				7.1	
				84432 86517	500 500				X-I	
N960C416L VASHER ⊀ N6	15 1149 CO 43	Purchased	No	80317	110		1755	4 (xy)	Jel '	1 nlulos
4095-041 Vearplate Assembly		Manufactured	No		110	Each	9.0000	1	<u> </u>	4/4/05
,			Loca	tion	Loc Qty		Loc Code			, , , , ,
			FP00		9	ſ?	85844		Υİ	
				83809	7	1~	, 0 🔾 =	_		
				85616	2					
4095-043		Manufactured	No		110	Each	16.0000	1	\ ¹	1
earplate Assembly		7							<u> </u>	4+4109
		*!	Loca		Loc Qty		Loc Code			
			FP00		16		85 843		X \	
				83479	7		-	***************************************		
				85615	9					

										DQA:	Date:	
NCR: Ye	es / No				WORK ORDER NON-C	CON	NFOR	MANCE / UPD	DATE	•		
	•									QA Closed:	Date:	
Work Orde	r·				DISPOSITION		AGAINST DEPARTMENT/PROCESS					
Work Orac	' • <u> </u>		-		Rework	Skid-tube Crosstube				Water Jet	Engineering	
Part N	o				Scrap]	1	Machining	Small Fab		l. Eng. Coor.	Quality
	•				Use-as-is]		noforming	Finishing	Rec/Stor	e/Packaging	Other
NCR N	0				Work Order Update			Large Fab	Composite		Supplier	
Root				Descri	ption of work order update		nitial	Acti	ion	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Ch	ief Eng	Descri	iption	Date	Verification	QC Inspector
Doc/Data												
quip/Tooling								-				
Operator					•							
Material	_											
Setup	_ ·	Ì										
Other	_			-								
Process												
Supplier	╣.					l						
Training	_											
Unapproved	<u> </u>		<u> </u>		· · · · · · · · · · · · · · · · · · ·	<u> </u>	TCATE	CORY			· · · · · · · · · · · · · · · · · · ·	
سالم سمال	- C		<u> </u>			AUL	T CATE	GURT				
Landin F	_				General		Grain			Ovalized	Γ	Pressure/Forced
	Bending	-+ C		0/5	Bend		-{```			 -		Temperature/Cure
-	Centre Not Concentric to O/S			BOM/Route		Hardware		-	Over/Under tolerance		Weld	
-	Cracks			Broken/Damaged		Inspection Incomplete Instructions Incomplete/Unclear		Inclose	Part Incorrect Part Lost/Missing		Wrong Stock Pulled	
F	Crushed/Crimped. Cuffs			Burrs Contamination	\vdash	Mainte		- Inclear	Part Moved	331118		
ŀ	Heat Trea	at .		<u> </u>	Countersink	\vdash	Mislabe		 	Positioned V	Vrong	
-	⊣ .		Tube	-	Cut Too Short		Misrea		-	Power Loss/	_	Other
-	Inspection Strip in Tube Ripples in Bend				Drill Holes		Offset	u	i]. 0 4 6 7 2033,		Jotnes
	Torque W		xtrusio	, 	Drawing	\vdash	-	Calibration				
	Turning S				Finish		-	Sequence				
	Wave/Tw				Folio	\vdash	1	Dimensions				

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Picklist Print

July-13-12 1:47:05 PM

Page 4

Work Order ID:

87346

Parent Item:

D412-742-041

Parent Item Name:

Replacement Float Skidtube

D4095-045

Manufactured

No

Start Date: 7/10/12

Required Date: 8/31/12

Start Qty: 1.00

Required Qty: 1.00

Wearplate Assembly

110

Each


13.0000

Loc Code Location Loc Qty FP001 13 1386244 77737 84081 4 85614


			DQA:	Date:	
NCR:	Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE	*		
			0.4.011	Data	

,						<u> </u>					QA Closed.	Date.		
Work Orde	er:					DISPOSITION		AGAINST DEPARTMENT/PROCESS						
	-					Rework			Skid-tube	Crosstube		Water Jet	Engineering	
Part N	No.					Scrap		1	Machining	Small Fab	Prod	d. Eng. Coor.	Quality	
	•	,				Use-as-is		Thern	noforming	Finishing	Rec/Stor	e/Packaging	Other	
NCR N	No.					Work Order Update			Large Fab	Composite		Supplier		
														
Root		·			Descri	ption of work order update	li	nitial	Act	tion	Sign &			
Cause		Date	Step	Qty	(or Non-conformance	Ch	ief Eng	Descr	ription	Date	Verification	QC Inspector	
Doc/Data	\Box													
Equip/Tooling														
Operator														
Material														
Setup														
Other														
Process														
Supplier														
Training	Ш													
Unapproved			<u> </u>	<u> </u>										
						F.A.	AUL	T CATE	GORY	· · · · · · · · · · · · · · · · · · ·				
Landi	ng G	iear				General							-	
		Bending				Bend	Ш	Grain		<u></u>	Ovalized	L	Pressure/Forced	
	Ш	Centre No	ot Concer	ntric to	o/s	BOM/Route	Шн		Hardware		Over/Under	tolerance	Temperature/Cure	
	Ш	Cracks			Broken/Damaged		Inspect	ion Incomplete		Part Incorred	ct	Weld		
	Ш	Crushed/Crimped.				Burrs		Instructions Incomplete/Unclear		Unclear	Part Lost/Missing		Wrong Stock Pulled	
		Cuffs				Contamination		Mainte	enance		Part Moved		_	
		Heat Treat				Countersink		Mislabe	eled		Positioned V	Vrong		
		Inspection Strip in Tube				Cut Too Short		Misread	l		Power Loss/	Surge	Other	
	Ripples in Bend				Drill Holes		Offset							
		Torque W	aves in E	xtrusio	n 🗀	Drawing		Out of (Calibration					
		Turning S	equence			Finish		Out of S	Sequence					
	Wave/Twist in Tube			e	Folio	П	Outside Dimensions							

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G



97344



D3391-043 FLOAT SKIDTUBE ASSEMBLY PARTS LIST

	QTY -043	PART NUMBER	DESCRIPTION
	X	D3391-043	FLOAT SKIDTUBE ASSEMBLY
		1	TECHT OND FORE ACCEMBET
	1	D3391-021	FWD TUBE ASSEMBLY
	1	D3391-023	MID TUBE ASSEMBLY
	11	D3391-025	AFT TUBE ASSEMBLY
		D3591-1	BUSHING
Г	1	D4095-041	WEARSHOE
ı	1	D4095-043	WEARSHOE
	1	D4095-045	WEARSHOE
- 1	11	D4095-047	WEARPAD
- 1	1	D4095-049	WEARPAD
۸l	1	D4095-051	WEARSHOE
H			
<u></u>	24	AN3C4A	BOLT
	10	AN3C6A	BOLT
L	4	AN3C7A	BOLT
	38	AN960C10L	WASHER

GENERAL NOTES

CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 FINISH:

POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3 COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF POWDER COATING WITH MEK DEGREASER.

TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED

UNITS: INCHES UNLESS OTHERWISE NOTED

USE DART DRILL TEMPLATE DT8217 TO LOCATE AND DRILL Ø0.297 SIZE HOLES FOR WEARSHOE INSERTS. C'BORE AS NOTED AND INSTALL INSERTS EXCEPT WHERE INDICATED.


FIT D4095-041 TO SKIDTUBE WITH D2571 AND D2572 SADDLES INSTALLED WITH APPROPRIATE HARDWARE AND SPACERS IN FORWARD AND AFT HOLES AND TRANSFER DRILL Ø0.50 HOLES FROM SADDLE TO D4095-041


FIT D4095-043 TO SKIDTUBE WITH D2571 AND D2572 SADDLES INSTALLED WITH THE APPROPRIATE HARDWARE AND SPACERS IN FORWARD AND AFT HOLES AND TRANSFER DRILL Ø0.50 HOLES FROM SADDLE TO D4095-043


DESIGN PH		DART AEROSPACE USA, INC				
DRAWN	XDF	KENT, WA				
CHECKED	4	DRAWING NO.	REV. I			
MFG. APPR.	$\overline{\mathcal{R}}$	D3391	SHEET 2 OF 8			
APPROVED	140	TITLE	SCALE			
DE APPR.	#	412 FLOAT SKIDTUBE	NTS			
DATE 11.1	0.13	COPYRIGHT © 2005 BY DART AEROSPACE USA, INC. THIS OCCUPANT IS PRIVATE AND CONTRIBENTAL AND IS SUPPLIED ON THE EMPESS CONDITION THAT IT IS NOT TO BE USED TORM ANY EMPOSS ON COMPANDATION TO NAME OF PURSON WITHOUT.				


D


В














	A STATE OF THE PROPERTY OF THE			*	y
				* * .	•
				•	
		•			
• • · _ • /			·		
· .	news in and the second of			•	